

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.61
210233-
PLANTS

FOR


ROCK GARDENS

Grown by the

POUGHKEEPSIE NURSERY COMPANY, INC.

Wm. Godding P. J. van Melle

Poughkeepsie, New York




LIBRARY

RECEIVED

U. S. Department of Agriculture

Plants for Rock Gardens



Listings by P. J. van Melle

Grown by the
**Poughkeepsie Nursery
Company, Inc.**

Poughkeepsie, New York

PLATE

FOR BOOK



LIBRARY

UNIVERSITY OF

CHICAGO

1900

1000

1000

1000

1000

1000

1000

Introduction

As a measure of economy we present at this time simply a price list of plants suitable for use in and about the Rock Garden; alpine and other plants, certain shrubs and evergreens.

This list contains only a selection from the assortment in our display and trial grounds. Seekers after rare things will find in our nursery no end of unusual and interesting plants, available in limited quantities.

Visitors are cordially invited. Those who come from afar and desire special attendance are requested to inform us in advance of their visit. Weekdays are preferred.

Inquiries are solicited for uncommon plants not listed here.

Every firm selling rock plants today offers its peculiar advantages and appeals to one or other special plant interest. This is what may attract lovers and students of plants to our offerings:

Except in a few instances where names are given within quotation marks, we list only names of good standing;—names of demonstrable meaning in terms of plants.

These names are applied to our plants only after careful investigation, or upon the advice of competent botanists.

We list no specific names,—we offer no plants by such names, upon the say-so of commercial seed- or plant lists. We raise very few plants from seed, and in no case offer untested seedlings.

There is no more fallible source of rock plants than the commercial seed-packet.

Practically all our plants are propagated vegetatively from carefully checked stock plants. In this, we believe, lies the best obtainable insurance of genuine materials.

Seedlings offered are so marked.

Names listed conform, so far as possible, to those in HORTUS, by Dr. L. H. Bailey,—the best general guide to plants and plant names available to gardeners today.

Our assortment of rock plants comprises at all times a round thousand of distinct items. It would be impracticable to grow even one-half of this number in considerable quantities.

Plants listed are in stock at the time of this publication in quantities sufficient for estimated wants.

Plants will be packed with the utmost care. Should any errors occur in the filling of orders, please inform us promptly.

Terms and Conditions

Shipments travel at the purchaser's risk. Our responsibility for them ceases when

they have been delivered to the carrying Company or to the Post Office.

Plants will be shipped promptly, or on dates specified, in so far as they are ready for shipment. Unfilled balances will follow when these plants are ready. Express shipments will go out with transportation charges collect. Truck delivery is often preferable, and can be made at a minimum of cost.

Purchasers unknown to us will please remit with their orders.

The following quantity discounts will be allowed: Five per cent on orders amounting to from fifty to one hundred dollars. Ten per cent on orders over one hundred dollars.

Please read the above information carefully. Orders are accepted only upon the above terms and conditions.

The POUGHKEEPSIE NURSERY CO., Inc.
Poughkeepsie, N. Y.

P. O. Box 278

Telephone P. 663

Lectures on Plants for Rock Gardens, illustrated with original lantern slides, by Mr. P. J. van Melle, may be arranged by addressing him at Box 278, Poughkeepsie, N. Y. Terms upon application.

This catalogue supersedes and cancels the price list supplement, terms and conditions contained in our illustrated handbook, "IN AND ABOUT THE ROCK GARDEN."

This descriptive and servicable handbook is still available, upon remittance of 20 cents in postage. It contains original accounts and photographs of hundreds of plants in our trial grounds.

It will be found a most helpful guide in the selection of plants for various purposes.



Names with quotation marks must be taken with some reservation as to both names and application. They may or may not be correct.

Abbreviations: S, seedlings; tr., transplanted; B & B, balled and burlapped.

ACHILLEA nana30
serbica40
tomentosa30
tomentosa, larger, woolly form..	.50
ACTINEA herbacea.....	.50
ADONIS amurensis (Early A.)....	.50
amurensis, dble-flwg.....	.60
AJUGA genevensis (clear blue)....	.40
ALCHEMILLA alpina (Lady's Mantle)40
ALLIUM "glaucum".....	.60
Moly60
ANCHUSA myosotidiflora, see Brunnera	
ANDROSACE lactiflora.....	.40
sarmentosa50
sempervivoides (small).....	.60
ANEMONE "blanda".....	.60

NOTE: Our stock of A. blanda may contain material belonging to A. apennina.

We have not thus far been able to obtain a clear determination as between the two in our cultivated plants.

nemerosa, dble white.....	.50
nemerosa, pink, single.....	.80
nemerosa, Robinsoniana.....	.75
ranunculoides60
sylvestris50

ANTENNARIA	neodioica	.40
	rhodantha	.40
ARABIS	albida, dble-flwg.	.40
	glabra	.30
	Kellereri	.60
	procurrens	.30
ARENARIA	graminifolia	.50
	rigida	.50
	verna caespitosa	.30
	verna caespitosa, golden form	.50
ASPERULA	hirta	.60
	odorata	.30
ASTER	alpinus	.30
ATHYRUM (<i>Asplenium</i>)	Goering-	
	ianum	.75
	Goeringianum pictum	.75
BELAMCANDA (<i>Pardanthus</i>)	chi-	
	nensis	.50
BELLIUM	bellidioides (Linn.)	.50
BERBERIS	*buxifolia nana 10"	
	B & B	1.00
	buxifolia pygmaea 10" B & B	1.00
	*Gagnepainii, S. tr. 6"	.40
	*Julianae, grafted, 2 ft., B & B	1.25
	S. tr. 6-9"	.30
	S. tr. 10-12"	.50
	notabilis,	
	S. from seedbed, 10"	.40
	*Soulieana,	
	S. tr. 6-9"	.30
	S. tr. 10-12"	.50

**triacanthophora*

grafted, 15-18" B & B	1.25
S. tr. 6-9"30

Vernae,

S. from seedbed, 10-12"25
-----------------------------------	-----

**verruculosa*,

grafted, 10-12" B & B	1.00
S. tr. 6-9"30

Note—Barberries marked * are evergreen.

The above seedlings show some variation in foliage. Many of them are particularly interesting.

BRUCKENTHALIA *spiculifolia*60

BRUNNERA *macrophylla*

(*Anchusa myosotidiflora*)30

CALACINUM *axillare*

(*Muhlenbeckia nana*)40

CAMPANULA *caespitosa*

(*C. Bellardi*, *C. pusilla*)40

caespitosa alba50

collina60

garganica40

garganica hirsuta50

garganica "pallida"50

Portenschlagiana (C. muralis)30

"pseudo-Rainerii" (seedling of)50

pulloides50

Raddeana50

rotundifolia alba40

CARYOPTERIS *incanus (C. Mas-*

tacanthus)30

CENTAURIUM (<i>Erythraea</i>) un-	
named seedlgs40
CERASTIUM arvense	
Select, low, compact form40
CHRYSOGONUM virginianum50
CLERODENDRON trichotomum	
2-3 ft.	1.00
CONVOLVULUS incanus60
CORNUS floridus var. Welchii,	
10-12"	2.25
floridus var. xanthocarpa seedlgs,	
from bed, 18"50
CORYDALIS aurea (selected form)	.40
bulbosa (<i>C. solida</i>), tubers50
cheilanthifolia40
lutea40
tuberosa (<i>C. cava</i>) alba, tubers	2.50
COTONEASTER adpressa75
Dammeri (<i>C. humifusa</i>)	1.00
Dielsiana (<i>C. applanata</i>) 3-4 ft.75
divaricata 1½-2 ft.75
Franchetti, small variety, 1½-2 ft.75
horizontalis, in wire baskets,	
1½-2 ft.	2.25
nitens 3 ft.	1.00
pannosa 2 ft.	1.00
COTULA (<i>Leptinella</i>) squalida40
CYMBALARIA (<i>Linaria</i>) aequitri-	
loba60
hepaticaefolia50
pilosa50

CYTISUS nigricans S.....	.40
DAPHNE cneorum 12-15".....	1.00
DIANTHUS alpinus X superbus...	1.50
neglectus50
unnamed small forms.....	.40
DICENTRA eximia.....	.30
formosa40
DOUGLASIA Vitaliana60
DRABA, of the type of D. azoides,	
rosettes40
bruniifolia60
fladnizensis30
rupestris50
sibirica (<i>D. repens</i>).....	.40
EPILOBIUM nummularifolium50
EPIMEDIUM bicolorum.....	.40
macranthum30
macranthum niveum.....	.40
macranthum, choice, long spurred	1.00
pinnatum elegans.....	.30
pinnatum sulphureum.....	.30
ERICA vagans.....	.75
ERIGERON compositus.....	.50
ERINUS alpinus.....	.40
ERIOGONUM umbellatum.....	.60
"polyphyllus"60
ERIOPHYLLUM caespitosum...	.60
ERYTHRAEA, see Centaurium	
EUONYMUS alatus compactus 1½'	.75
japon. microphyllus(<i>E. pulchellus</i>)	.60
nanus (<i>E. rosmarinifolius</i>).....	.75

patens	1½-2ft.	.75
radicans minimus	(<i>E. Kewensis</i>)	.50
radicans coloratus		.50
EUPHORBIA	Myrsinites	.40
FESTUCA	glauca	.30
GAULTHERIA	procumbens	.30
GENISTA	sagittalis	.50
	silvestris pungens (<i>G. dalmatica</i>)	.60
GENTIANA	acaulis	.60
	acaulis, heavy clumps	1.00
	septemfida, heavy,	.75
GERANIUM	Pylzowianum	.50
	sanguin. prostratum (<i>G. lancas-</i> <i>triense</i>)	.60
GEUM	ciliatum (<i>G. triflorum</i>)	.40
GLOBULARIA	cordifolia	.50
	incanescens	.60
	nana	.75
	nudicaule	.40
GYPSOPHILA	fratensis	.50
HEDERA	helix "Caenwoodi" rooted	
	runners	.40
	helix "glomerata"	.75
	helix "minima"	.75
HELIANTHEMUM	"Oelandicum"	.75
HEPATICA	angulosa	.75
HEUCHERA	var. Plui de Feu	} .40
	Sanglant	
	Virginal	
	Unnamed white	
HORMINUM	pyrenaicum	.40

HOUSTONIA	coerulea, clumps of sdlgs.,	.30
HYDROCOTYLE	rotundifolia...	.40
ILEX	crenata 12-15" B&B.....	1.00
	opaca 18-24" B&B.....	1.50
IRIS	<i>arenaria</i> , see l. <i>flavissima</i>	
	cristata30
	cristata alba.....	1.00
	dichotoma50
	dichotoma alba.....	2.00
	ensata pabularia.....	.60
	flavissima (<i>I. arenaria</i>).....	1.00
	Forrestii75
	gracillipes60
	graminea60
	halophila (<i>I. Gueldenstadtiana</i>)	.60
	Hookeri, dwarf form, (Labrador form of l. <i>setosa</i>).....	1.00
	lacustris40
	minuta	1.00
	prismatica50
	pumila30
	Rossii60
	Sintenesi60
	tectorum50
	tectorum album.....	.75
	verna50
	Wilsoni	1.00
ISOPYRUM	biterdatum.....	.60
JUNIPERUS	horizontalis 1½' B&B	1.25

horizontalis, Douglasi (Wauke-	
gan Juniper)	1½' B&B 1.25
procumbens	1½' B&B 1.25
sabina tamariscifolia . .	1½' B&B 1.25
Sargenti	1½' B&B 1.25
squamata Meyeri	1½' B&B 1.25
KIRENGESHOMA palmata	2.00
LAMIUM maculatum album40
LEUCOJUM vernum carpathicum .	.40
LIMONIUM Gougetianum S.75
globulariaefolium75
LIRIOPE Muscari fol. var.	
(<i>Ophiopogon jaburan fol. var.</i>)	.50
LONICERA nitida75
MAHONIA Aquifolium 12-15" B&B	1.25
MALVASTRUM coccineum60
MARCHANTIA polymorpha40
MAZUS repens (<i>M. rugosus, trade</i>)	.30
MENTHA Requieni40
OMPHALODES verna alba40
OPUNTIA compressa (<i>O. vulgaris</i>)	.40
OXALIS decaphylla50
PACHISTIMA Canbyi50
PACHYSANDRA procumbens40
terminalis, variegated40
PETROPHYTUM caespitosum	
(<i>Spiraea caespitosa</i>)75
PHLOX amoena, species40
PHLOX amoena of the trade (see	
P. X procumbens)	
bifida30

Brittoni40
caespitosa60
carolina, May-flowering form . .	.50
carolina, summer-flowering form	.40
divaricata (<i>canadensis</i>) alba40
divaricata Laphami30
X procumbens (<i>P. amoena</i> , trade)	.30
X procumbens, variegated60
stolonifera, rosy purple30
stolonifera, blue30
stolonifera, pure lilac40
subulata alba30
subulata lilacina30
subulata Vivid40
PHYTEUMA Scheuchzeri40
PINUS densiflora umbraculifera,	
Tanyosho, 18-24" width . . .	7.50
Mugo, var. Mughus (Mugho	
Pine, dwarf type) 12-15"	
width	1.25
POLEMONIUM reptans40
Van Bruntiae50
POTENTILLA alba40
Kleiniana (<i>P. Tonguei</i> of the	
trade)50
rupestris pygnaea40
verna nana40
PRIMULA Juliae40
Sieboldi, white60
Sieboldi, clear rose pink75
Sieboldi, rosy lilac shades75

Sieboldi, pale lilac,—petunia-type	.75
vulgaris30
PTEROCEPHALA Parnassi (<i>Sca-</i> <i>biosa pterocephala</i>)40
PULMONARIA angustifolia30
saccharata40
RANUNCULUS montanus40
RHODODENDRON (<i>Azalea</i>)	
japonicum 12-15" B & B	1.50
micranthum 15-18" B & B	1.50
mollis 12-15" B & B	1.50
obtusum Kaempferi 15-18" B & B	1.50
dauricum mucronulatum 15 18"	
B & B	1.50
Schlippenbachi 10-12" B & B . . .	1.50
RUELLIA ciliosa40
SALIX uva-ursi60
SANGUINARIA canadensis—dble.	
flowering	2.50
SARCOCOCCA Hookeriana var.	
humilis50
SAXIFRAGA aizoon50
aizoon balcana60
aizoon flavescens75
aizoon LaGaviana60
aizoon rosea75
altissima60
X Andrewsii60
X apiculata alba75
bronchialis75
cortusaefolia	1.00

cotyledon60
cotyledon X longifolia75
coyledon unnamed hybrid75
Fernandi-Coburgi	1.00
Geum60
Geum var. dentata75
X Godseffiana	1.00
lingulata "albida"75
Macnabiana50
sarmentosa30
trifurcata var. ceratophylla60
umbrosa40
umbrosa primuloides75
Wallacei60
SCHIVERECKIA Bornmulleri50
SCILLA chinensis, bulb40
SCUTELLARIA indica japonica60
SEDUM acre30
acre majus40
acre minus40
aizoon30
alboroseum30
alboroseum variegatum30
album30
altissimum30
anacampseros60
amplixicaule60
anglicum40
anglicum minus40
anopetalum40
brevifolium60

dasyphyllum30
dasyphyllum glanduliferum40
dasyphyllum larger form, white- flowg.50
divergens60
Douglasii60
Ellacombianum40
Ewersii30
Ewersii homophyllum50
gracile40
hispanicum30
hispanicum minus (<i>S. lydium</i> <i>glaucum</i>)40
hybridum40
kamtchaticum40
kamtchaticum variegatum50
lineare robustum50
lydium40
Middendorffianum40
Middendorffianum, broad-leaved, .	.50
Nevii40
Nuttallianum (annual)40
oreganum (<i>Gormaniana oregana</i>) .	.50
populifolium50
pulchellum (perennial, of Prae- ger's Monograph)60
pulchellum (annual)50
pruinatum60
(<i>pruinatum forsterianum</i> , Hort. is <i>S. rupestre</i>)	
reflexum, bright green40

reflexum, gray, glaucous40
reflexum cristatum50
roseum (<i>Rhodiola rosea</i>)75
rupestre30
sarmentosum30
sexangulare30
Sieboldii40
Sieboldii variegatum75
spectabile30
spectabile, small form50
spurium30
spurium album50
spurium coccineum (<i>coccineum splendens</i>)30
stenopetalum40
stoloniferum40
Stribnyi50
ternatum40
SEMPERVIVUM arachnoideum30
calcareum30
"Heuffelii"60
"Reginae-Amaliae"60
tectorum30
triste50
No. 6050
and countless other forms under uncertain names.	

Collection of 100 assorted, different
forms, unnamed, for \$20.00

*This collection includes some very
striking and unusual forms.*

SPECIAL Dwarf seedling , tiniest of all, choice for planting on stones	.60
SENECIO tyrolensis	.60
SHORTIA galacifolia	.60
SILENE alpestris	.40
caroliana (<i>S. pennsylvanica</i>)	.40
pumilio	.60
SISYRINCHIUM angustifolium	.30
bellum	.40
SPIRAEA bullata (<i>S. crispifolia</i>)	1.00
decumbens	1.00
lucida	1.00
SYMPHYANDRA Hofmanni	.40
TALINUM teretifolium	.40
TAXUS cuspidata nana, very dwarf type 10-12"	2.50
media Hatfieldii, dwarf pyrami- dal form 12-15" B & B	4.00
media Hicksii 2½ ft. B & B	3.50
THALICTRUM alpinum	.60
THYMUS citriodorus (vulgaris X pulegioides), yellow var.	.50
herba barona (anise-scented)	.40
serpyllum	.30
serpyllum small-leaved, deep rose	.30
serpyllum lanuginosus	.30
serpyllum long, narrow-leaved form	.40
serpyllum white-variegated bush form	.40

serpyllum yellow-variegated,	
prostrate40
vulgaris30
TRICYRTIS hirta (Toadlily)60
TROLLIUS Ledebouri Orange	
Queen40
TSUGA canadensis pendula (Sar-	
gent Weeping Hemlock)	
2-2½ ft. wide	6.00
UMBILICUS chrysantha (<i>Semper-</i>	
<i>vivum chrysanthum</i>)50
VALERIANA montana50
VANCOUVERIA hexandra50
VERBENA canadensis30
VERONICA Allionii40
armena40
austriaca50
fruticulosa (saxatilis)40
fruticulosa alba50
incana30
nummularia50
peduncularis, white40
pectinata, blue40
pectinata, rose40
rupestris30
rupestris rosea40
rupestris Trehani40
rupestris compact form, blue40
"spicata corymbosa"50
"spicata alpina alba"60

VINCA herbacea50
minor, purple flwg.40
minor, white-flwg.30
minor, yellow-variegated40
minor, Bowles' variety40
VIOLA odorata40
odorata alba40
odorata apricot, scentless40
odorata Rosina40
pedatifida40
rugulosa30
WULFENIA carinthiaca50

Nursery Stock

of the Better Sorts

Such as:

Taxus cuspidata, upright type,
for hedges and specimens

Taxus media Hatfieldii

Taxus hybrid Hunnewelliana

Sargent Weeping Hemlock

Chinese Column Juniper

Viburnum theiferum

Hinoki Cypress

Concolor Fir

Euonymus alatus compactus

Mahonia Aquifolia

Priced
at the
Nursery]

*No general price list available
of trees and shrubs*

POUGHKEEPSIE NURSERY COMPANY, INC.

POUGHKEEPSIE, N. Y.

We are located 2½ miles South
of the Center of Poughkeepsie, on
the Albany Post Road, Route 9,
adjoining the Dutchess Golf &
Country Club.

Telephone:

POUGHKEEPSIE

663

Trial Gardens Open Daily
Except Sunday.

